

[File 60] **ANTE: Abstracts in New Tech & Engineer** 1966-2007/Jul
(c) 2007 CSA. All rights reserved.
[File 56] **Computer and Information Systems Abstracts** 1966-2007/Aug
(c) 2007 CSA. All rights reserved.
[File 35] **Dissertation Abs Online** 1861-2007/Jul
(c) 2007 ProQuest Info&Learning. All rights reserved.
[File 8] **Ei Compendex(R)** 1884-2007/Aug W3
(c) 2007 Elsevier Eng. Info. Inc. All rights reserved.
[File 266] **FEDRIP** 2007/Aug
Comp & dist by NTIS, Intl Copyright All Rights Res. All rights reserved.
[File 583] **Gale Group Globalbase(TM)** 1986-2002/Dec 13
(c) 2002 The Gale Group. All rights reserved.
**File 583: This file is no longer updating as of 12-13-2002.*
[File 65] **Inside Conferences** 1993-2007/Sep 04
(c) 2007 BLDSC all rts. reserv. All rights reserved.
[File 2] **INSPEC** 1898-2007/Sep W1
(c) 2007 Institution of Electrical Engineers. All rights reserved.
[File 6] **NTIS** 1964-2007/Sep W2
(c) 2007 NTIS, Intl Cpyrght All Rights Res. All rights reserved.
[File 144] **Pascal** 1973-2007/Sep W1
(c) 2007 INIST/CNRS. All rights reserved.
[File 34] **SciSearch(R) Cited Ref Sci** 1990-2007/Sep W1
(c) 2007 The Thomson Corp. All rights reserved.
[File 434] **SciSearch(R) Cited Ref Sci** 1974-1989/Dec
(c) 2006 The Thomson Corp. All rights reserved.
[File 256] **TecInfoSource** 82-2007/Feb
(c) 2007 Info.Sources Inc. All rights reserved.
[File 95] **TEME-Technology & Management** 1989-2007/Sep W1
(c) 2007 FIZ TECHNIK. All rights reserved.
[File 99] **Wilson Appl. Sci & Tech Abs** 1983-2007/Jul
(c) 2007 The HW Wilson Co. All rights reserved.

Set Items Description

S1 199 S (MULTIPLE? ? OR PLURAL??? OR MANY OR TWO OR 2 OR SECOND OR 2ND OR TWOFOLD OR DUAL OR MULTI OR PAIR???) (10N) (VLAN? ? OR V() LAN OR (VIRTUAL() LAN? ?) OR (VIRTUAL(1W) LOCAL(1W) AREA(1W) NETWORK) (2W) (TAG? ? OR ID? ? OR IDENTIFIER? ? OR LABEL? ?))
S2 19 S S1 (20N) (INSERT??? OR ATTACH??? OR WRIT??? OR INCLUD??? OR ADD??? OR INTEGRAT??? OR SUM OR SUMMING OR COMBIN??? OR JOIN???)
S3 34 S (REMOV??? OR TRANSFER??? OR (TAKE(1W) (AWAY OR OFF)) OR KILL??? OR ELIMINAT??? OR EXTERMINAT??? OR DROP??? OR ERAS??? OR EXCLUD??? OR DISMISS??? OR WITHDRAW???) (20N) (VLAN? ? OR V() LAN OR (VIRTUAL() LAN? ?) OR (VIRTUAL(1W) LOCAL(1W) AREA(1W) NETWORK) (2W) (TAG? ? OR ID? ? OR IDENTIFIER? ? OR LABEL? ?))
S4 0 S S3 AND S2
S5 46 S S1 AND (INSERT??? OR ATTACH??? OR WRIT??? OR INCLUD??? OR ADD??? OR INTEGRAT??? OR SUM OR SUMMING OR COMBIN??? OR JOIN???)
S6 229 S (REMOV??? OR TRANSFER??? OR (TAKE(1W) (AWAY OR OFF)) OR KILL??? OR ELIMINAT??? OR EXTERMINAT??? OR DROP??? OR ERAS??? OR EXCLUD??? OR DISMISS??? OR WITHDRAW???) AND (VLAN? ? OR V() LAN OR (VIRTUAL() LAN? ?) OR (VIRTUAL(1W) LOCAL(1W) AREA(1W) NETWORK) (2W) (TAG? ? OR ID? ? OR IDENTIFIER? ? OR LABEL? ?))
S7 15 S S5 AND S6
S8 12 RD (unique items)
S9 0 S S1 AND (AU=(HIDAKA, Y? OR HIDAKA Y?))
S10 0 S S1 AND (AU=(SHIBUTANI, M? OR SHIBUTANI M?))
S11 0 S S1 AND (AU=(IWATA, A? OR IWATA A?))
S12 0 S S1 AND (AU=(UMAYABASHI, M? OR UMayABASHI M?))
S13 0 S S1 AND (AU=(ENOMOTO, N? OR ENOMOTO N?))

?

Subject summary

? t/3,k/all

8/3,K/1 (Item 1 from file: 56) [Links](#)

Fulltext available through: [USPTO Full Text Retrieval Options](#)

Computer and Information Systems Abstracts

(c) 2007 CSA. All rights reserved.

0000588634 IP Accession No: 200701-90-003563

McData Simplifies SAN Expansion

Harbaugh, Logan C

InfoWorld , n 6 , p 32, 33 , 7 Feb. 2005

Publication Date: 2005

Publisher: InfoWorld Media Group , 501 Second Street , San Francisco , CA , 94107

Country Of Publication: USA

Publisher Url: <http://www.infoworld.com>

Publisher Email: customerservice@infoworld.com

Document Type: Journal Article

Record Type: Abstract

Language: English

ISSN: 0199-6649

File Segment: Computer & Information Systems Abstracts

Abstract:

...which are often achieved by bonding multiple ports together. There is a new option to **eliminate** switch-port congestion and SAN fumbling, however. McData's just-released Intrepid i10K Director, an enterprise-class FC switch, has the capacity to consolidate multiple SANs. It also **includes** features taken for granted in the Ethernet switch world, such as creation of the equivalent of **VLANS** by partitioning the SAN fabric into **multiple** fabrics, and features for remote sites that make data distribution and replication easier, faster, and...

Descriptors: Switches; Styrene acrylonitrile resins; Ports; Fabrics; **VLAN**; Information technology; Equivalence; Replication; Bonding; Channels; Consolidation; Counting; **Joints**; Consumption; Partitioning; Ethernet ; Congestion

8/3,K/2 (Item 2 from file: 56) [Links](#)

Fulltext available through: [USPTO Full Text Retrieval Options](#)

Computer and Information Systems Abstracts

(c) 2007 CSA. All rights reserved.

0000307586 IP Accession No: 314861

Virtual LAN internetworking over ATM networks for mobile stations

Huang, Nen-Fu; Wang, Yao-Tzung; Li, Bo; Liu, Te-Lung Natl Tsing Hua Univ, Hsinchu, Taiwan

PROC IEEE INFOCOM , v 3 , p 1397-1403 , 1997

Publication Date: 1997

Publisher: IEEE, PISCATAWAY, NJ, (USA)

Conference:

The 1997 16th IEEE Annual Conference on Computer Communications, INFOCOM. Part 3 (of 3) , Kobe , Jpn , 07-12 Apr. 1997

Document Type: Conference Paper; Journal Article

Record Type: Abstract

Language: English

ISSN: 0743-166X

File Segment: Computer & Information Systems Abstracts

Virtual LAN internetworking over ATM networks for mobile stations

Abstract:

One of the most attractive features of the virtual LAN (VLAN) is the capability to group users into broadcast domains, which are independent of their locations on the physical network. This paper deals with the VLAN services using ATM LAN emulation technology which operates on a client/server model. The focuses are on the issues of supporting transparent VLAN services and internetworking among VLANs for mobile stations. A mobile VLAN (MVLAN) architecture is proposed, perhaps for the first time, to efficiently maintain multiple VLAN broadcast domains over a single ATM network even when the VLANs contain mobile stations. The proposed solution 1) ensures that layer 2 frames between a mobile station and any station, either static or mobile, that belongs to the original registered VLAN can be exchanged transparently, 2) provides transparent communications between VLANs using layer 2 bridging approach, and 3) handles excessive server-to-server traffic efficiently, including the broadcast/multicast frames. The proposed MVLAN architecture brings one step closer towards facilitating the...

Descriptors: Asynchronous transfer mode; Radio stations; Radio broadcasting; Telecommunication traffic

Identifiers: Virtual local area networks (VLAN)

8/3,K/3 (Item 3 from file: 56) [Links](#)

Fulltext available through: [custom link](#) [USPTO Full Text Retrieval Options](#)

Computer and Information Systems Abstracts

(c) 2007 CSA. All rights reserved.

0000257388 IP Accession No: 0143223

Switch puts virtual LANs on automatic pilot

Saunders, Stephen

Data Communications , v 23 , n 12 , p 45-46 , 1994

Publication Date: 1994

Document Type: Journal Article

Record Type: Abstract

Language: English

ISSN: 0363-6399

File Segment: Computer & Information Systems Abstracts

Switch puts virtual LANs on automatic pilot

Abstract:

ATMizer 125 Relational Switch, which combines Ethernet and ATM ports in the same unit, is the first ever to automate virtual LAN configuration. The ATMizer inspects traffic and user header information to assign nodes that share a subnetwork address and protocol to the same virtual LAN; nodes that run multiple protocols are assigned to more than one workgroup. Other features and performance as well as...

Identifiers: Local area network switches; Network managers; Asynchronous transfer mode; Backbone topology; Token ring

8/3,K/4 (Item 1 from file: 8) [Links](#)

Fulltext available through: [ScienceDirect](#)

Ei Compendex(R)

(c) 2007 Elsevier Eng. Info. Inc. All rights reserved.

11113968 **E.I. No:** EIP06289990238

Title: A secure VLAN construction protocol in wireless ad hoc networks

Author: Wang, Tzone-I.; Yeh, Ching-Hung; Huang, Yueh-Min

Corporate Source: Department of Engineering Science National Cheng-Kung University, Taiwan, Taiwan

Conference Title: ITRE 2005 - 3rd International Conference on Information Technology: Research and Education

Conference Location: Hsinchu, Taiwan **Conference Date:** 20050627-20050630

E.I. Conference No.: 67660

Source: ITRE 2005 - 3rd International Conference on Information Technology: Research and Education - Proceedings

ITRE 2005 - 3rd International Conference on Information Technology: Research and Education - Proceedings v 2005

2005. (IEEE cat n 05EX1014)

Publication Year: 2005

DOI: 10.1109/ITRE.2005.1503068

DOI: [10.1109/ITRE.2005.1503068](#)

Article Number: 1503068

Language: English

Title: A secure VLAN construction protocol in wireless ad hoc networks

Abstract: The Virtual Local Area Network (VLAN) technology is one of the hottest areas of networking systems. A VLAN is a logical rather than physical connection that allows network devices to be combined as "virtual LANs". By this characteristic, VLAN segment the network into different broadcast domains so that packets are only delivered between ports that are combined for the same VLAN. Wireless ad hoc networks also have the flexibility to collect more than two devices equipped... all devices in an ad hoc network. So an ad hoc network needs to form multiple-group as "virtual LANs" to ensure reasonable performance and security. In this paper we propose a secure VLAN construction protocol (SVCP) in wireless ad hoc networks. For eliminating broadcast drawback, source node will serve as a temporary agent to form a VLAN which generates a group key for secure communications. copy 2005 IEEE. 14 Refs.

Identifiers: Virtual Local Area Network (VLAN); Wireless ad hoc networks; Multiple groups

8/3,K/5 (Item 2 from file: 8) [Links](#)

Fulltext available through: [USPTO Full Text Retrieval Options](#)

Ei Compendex(R)

(c) 2007 Elsevier Eng. Info. Inc. All rights reserved.

07977733 **E.I. No:** EIP98034130611

Title: Next generation local area networks

Author: Newson, D.J.; Ginsburg, D.; Wilkins, M.T.

Source: BT Technology Journal v 16 n 1 Jan 1998. p 76-87

Publication Year: 1998

CODEN: BTTJEY **ISSN:** 0265-0193

Language: English

Abstract: ...now consider the local area network (LAN) to which their desktop personal computer (PC) is attached to be more important to them than the telephone network, resulting in a drive to... applications. This encompasses both new technologies such as Gigabit Ethernet, and new architectures such as virtual LANs (VLANs), multi-protocol over ATM (MPOA) and multi-protocol over LANs (MPOL). (Author abstract) 14 Refs.

Descriptors: ...computers; Reliability; Telecommunication traffic; Congestion control (communication); Computer architecture; Network protocols; Interactive computer systems; Asynchronous transfer mode

Identifiers: Multiprotocols; Intranets; Virtual local area networks (VLAN)

8/3,K/6 (Item 3 from file: 8) [Links](#)

Fulltext available through: [custom link](#) [USPTO Full Text Retrieval Options](#)

Ei Compendex(R)

(c) 2007 Elsevier Eng. Info. Inc. All rights reserved.

07075804 E.I. No: EIP95022575999

Title: Making virtual LANs a virtual snap

Author: Anon

Source: Data Communications v 24 n 1 Jan 1995. p 72-74

Publication Year: 1995

CODEN: DACODM **ISSN:** 0363-6399

Language: English

Title: Making virtual LANs a virtual snap

Abstract: Virtual LANs can present net managers with the stressful mouse-induced pointing and clicking because most LAN switches and routers that come with virtual LAN facilities require virtual workgroups to be set up and administered manually from a management consoleInc (Concord, MA) has developed the ATMizer 125 Relational Switch by automatically allocating users to virtual LANs based on two criteria: network protocol and subnet address. The Ethernet/ATM switch owes its virtual LAN edge to a unique design that combines the self-learning abilities of a MAC-layer bridge with a router's ability to... ..those workstations using the same protocol and having the same subnetwork address into the same virtual LAN. As network nodes are moved, added, or changed, the Agile switch reassigns them to the appropriate virtual LAN.

Descriptors: *Local area networks; Virtual reality; Switching networks; Network protocols; Asynchronous transfer mode; Telecommunication traffic; User interfaces; Computer software; Packet switching; Computer workstations

Identifiers: Internetworking; Virtual LAN; Virtual snap

8/3,K/7 (Item 1 from file: 2) [Links](#)

Fulltext available through: [ScienceDirect](#)

INSPEC

(c) 2007 Institution of Electrical Engineers. All rights reserved.

09669895

Title: A secure VLAN construction protocol in wireless ad hoc networks

Author Tzone-I Wang; Ching-Hung Yeh; Yueh-Min Huang

Author Affiliation: Dept. of Eng. Sci., Nat. Cheng Kung Univ., Tainan, Taiwan

Conference Title: 3rd International Conference on Information Technology: Research and Education p. 68-72

Publisher: IEEE Computer Society, Piscataway, NJ, USA

Publication Date: 2005 **Country of Publication:** USA xviii+503 pp.

ISBN: 0 7803 8932 8 **Material Identity Number:** XX-2005-01274

U.S. Copyright Clearance Center Code: 0-7803-8932-8/05/\$20.00

Conference Title: 3rd International Conference on Information Technology: Research and Education

Conference Date: 27-30 June 2005 **Conference Location:** Hsinchu, Taiwan

Language: English

Subfile: B C

Copyright 2005, IEE

Title: A secure VLAN construction protocol in wireless ad hoc networks

Abstract: The virtual local area network (VLAN) technology is one of the hottest areas of networking systems. A VLAN is a logical rather than physical connection that allows network devices to be combined as "virtual LANs". By this characteristic, VLAN segment the network into different broadcast domains so that packets are only delivered between ports that are combined for the same VLAN. Wireless ad hoc networks also have the flexibility to collect more than two devices equipped... ..all devices in an ad hoc network. So an ad hoc network needs to form multiple-group as "virtual LANs" to ensure reasonable performance and security. In this paper we propose a secure VLAN construction protocol (SVCP) in wireless ad hoc networks. For eliminating broadcast drawback, source node will serve as a temporary agent to form a VLAN, which generates a group key for secure communications.

Identifiers: secure VLAN construction protocol... ..virtual LAN;

8/3,K/8 (Item 2 from file: 2) [Links](#)

Fulltext available through: [USPTO Full Text Retrieval Options](#)

INSPEC

(c) 2007 Institution of Electrical Engineers. All rights reserved.

09363357

Title: Intelligent MCs debunk perceptions

Journal: Communications News vol.41, no.10 p. 42-4

Publisher: Nelson Publishing,

Publication Date: Oct. 2004 **Country of Publication:** USA

CODEN: CMUNA9 **ISSN:** 0010-3632

SICI: 0010-3632(200410)41:10L:42:IDP;1-O

Material Identity Number: F947-2004-012

Language: English

Subfile: D

Copyright 2005, IEE

Abstract: ...lines. By converting copper to fiber, IT managers can extend network distances, add security and eliminate electromagnetic interference. Media converters also provide fiber-to-fiber conversion to enable dual-fiber to... ..data flow using wavelength divisional multiplexing. Media converters support multiple network types and data rates, including 10, 100, 10/100, 10/100/1000 Ethernet, OC-3, OC-12, OC-48, T-1, T-3, asynchronous transfer mode, synchronous optical

network and serial technologies. One of the important advancements in media converter technology is the ability to support **virtual LANs (VLANs)**. The **two** types of **VLAN** technology supported by media converters are port **VLAN** and tag **VLAN**. Port **VLAN** enables a network administrator to specify and restrict traffic flow between a media converter's fiber and UTP ports, providing security and intrusion protection. Tag **VLAN** incorporates the IEEE 802.1Q packet tagging and untagging standard, **including** double-tagging. Ironically, the old perception that media converters would become obsolete because conversion technology...

Identifiers: ...asynchronous transfer mode... ..virtual LAN;

8/3,K/9 (Item 3 from file: 2) [Links](#)

Fulltext available through: [ScienceDirect](#)

INSPEC

(c) 2007 Institution of Electrical Engineers. All rights reserved.

06919867 **INSPEC Abstract Number:** B9806-6210L-125, C9806-5620L-044

Title: Virtual LAN internetworking over ATM networks for mobile stations

Author Nen-Fu Huang; Yai-Tzung Wang; Bo Li; Te-Lung Liu

Author Affiliation: Dept. of Comput. Sci., Nat. Tsing Hua Univ., Hsinchu, Taiwan

Conference Title: Proceedings IEEE INFOCOM '97. The Conference on Computer Communications. Sixteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Driving the Information Revolution (Cat. No.97CB36034) **Part** vol.3 p. 1397-404 vol.3

Publisher: IEEE Comput. Soc. Press, Los Alamitos, CA, USA

Publication Date: 1997 **Country of Publication:** USA 3 vol. xxvi+1429 pp.

ISBN: 0 8186 7780 5 **Material Identity Number:** XX97-03041

U.S. Copyright Clearance Center Code: 0 8186 7780 5/97/\$10.00

Conference Title: Proceedings of INFOCOM '97

Conference Sponsor: IEEE Comput. Soc. Tech. Committee on Comput. Commun.; IEEE Commun. Soc.; IEICE of Japan; IPS (Inf. Process. Soc.) of Japan; ORS (Oper. Res. Soc.) of Japan

Conference Date: 7-11 April 1997 **Conference Location:** Kobe, Japan

Language: English

Subfile: B C

Copyright 1998, IEE

Title: Virtual LAN internetworking over ATM networks for mobile stations

Abstract: One of the most attractive features of the virtual LAN (VLAN) is the capability to group users into broadcast domains, which are independent of their locations on the physical network. This paper deals with the VLAN services using ATM LAN emulation technology which operates on a client/server model. The focuses are on the issues of supporting transparent VLAN services and internetworking among VLANs for mobile stations. A mobile VLAN (MVLAN) architecture is proposed, perhaps for the first time, to efficiently maintain multiple VLAN broadcast domains over a single ATM network even when the VLANs contain mobile stations. The proposed solution (1) ensures that layer 2 frames between a mobile station and any station, either static or mobile, that belongs to the original registered VLAN can be exchanged transparently, (2) provides transparent communications between VLANs using the layer 2 bridging approach, and (3) handles excessive server-to-server traffic efficiently, including the broadcast/multicast frames. The proposed MVLAN architecture moves one step closer towards facilitating the...

Descriptors: asynchronous transfer mode...

Identifiers: virtual LAN internetworking... ..VLAN services... ..mobile VLAN architecture

8/3,K/10 (Item 4 from file: 2) [Links](#)

Fulltext available through: [ScienceDirect](#)

INSPEC

(c) 2007 Institution of Electrical Engineers. All rights reserved.

06323352 **INSPEC Abstract Number:** B9608-6210L-185, C9608-5620L-086

Title: Virtual LAN realization on an ATM connectionless public network

Author Asoh, J.; Arakawa, N.; Mizuno, H.; Kishino, K.

Author Affiliation: Oki Electr. Ind. Co. Ltd., Tokyo, Japan

Conference Title: 2nd Asia-Pacific Conference on Communications **Part** vol.2 p. 516-20 vol.2

Publisher: Waseda Univ., Tokyo, Japan **Country of Publication:** Japan 2 vol. xxiii+963 pp.

Material Identity Number: XX96-00829

Conference Title: Proceedings of Asia-Pacific Conference on Communications. APCC'95

Conference Sponsor: IEICE of Japan; Korean Inst. Commun. Sci.; Chinese Inst. Electr. Eng.; IEEE Commun. Soc.; Chinese Inst. Commun.; Inst. Eng

Conference Date: 13-16 June 1995 **Conference Location:** Osaka, Japan

Language: English

Subfile: B C

Copyright 1996, IEE

Title: Virtual LAN realization on an ATM connectionless public network

Abstract: ...to an ATM network. When that happens, we can expect demands for the realization of virtual LANs, with no distance limitations. If it becomes possible to configure a virtual LAN on the public network, an advantage for the user will be the assumption by the... ..the desktop workstations and personal computers used in today's LANs, and are likely to include also terminals that can be carried around easily, like the notebook computers and pen-based... ..Assuming such portable data terminals, another demand will no doubt be for the configuration of virtual LANs to which connection can be made from many different places on the public

network. Up to now, however, there have been very few studies on methods of realizing a virtual LAN using the public network. This paper assumes as the broadband data service in an ATM... ..the connectionless service network being deliberated in ITU-T SG13. As techniques for realizing a virtual LAN on a connectionless network, the authors studied the implementation of portability functions and propose specific...

Descriptors: asynchronous transfer mode...

Identifiers: virtual LAN realization...

8/3,K/11 (Item 1 from file: 256) [Links](#)

TecInfoSource

(c) 2007 Info.Sources Inc. All rights reserved.

00146019 **Document Type:** Review

Product Names: 802.11g (845132); 802.11a (845124); Fixed Wireless Services (844802)

Title: Fixed wireless links mobile nets

Author: Boch, Erik

Source: Electronic Engineering Times , v1257 p56(3) Feb 17, 2003

ISSN: 0192-1541

Homepage: <http://www.eet.com>

File Segment: Review

Record Type: Product Analysis

Grade: Product Analysis, No Rating

Revision Date: 20030730

...enabling IEEE (Institute of Electrical and Electronics Engineers) 802.11 standards that can be used, **including** 802.11g and 802.11a. The wireless LAN (WLAN) market should grow exponentially in the... ..sites have to function as if in the same building. WLANs are often used to **eliminate** wiring and to support **multiple** roaming of end-user terminals. To building a **multi**-building **VLAN** environment, LAN segments have to be interconnected between the buildings. Among topics covered are use...

8/3,K/12 (Item 2 from file: 256) [Links](#)

TecInfoSource

(c) 2007 Info.Sources Inc. All rights reserved.

00142697 **Document Type:** Review

Product Names: NetScreen 1000 Internet (088137)

Title: A pretty interface is not enough: Integrated firewall and VPN...

Author: Alexander, Mark

Source: Communications News , v39 n9 p14(3) Sep 2002

ISSN: 0010-3632

Homepage: <http://www.comnews.com>

File Segment: Review

Record Type: Product Analysis

Grade: Product Analysis, No Rating

Revision Date: 20040228

...the company bought its first firewall/VPN product with the NetScreen 1000 platform. NetScreen offered **virtual LAN** trunking of security with **multiple** security functions in a single device. It **included** VPN, DoS protection and authentication. It was easy to deploy and intuitive, and a major differentiator was application-based security. The appliances **eliminate** traditional choke points commonly experienced by software-based security running on general-purpose PCs. The ...